EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	99	(("20050232302") or ("20050251564") or ("20050235292") or ("20040216139") or ("20060004559") or ("7356046") or ("20050175031") or ("5963726") or ("6085156") or ("6223134") or ("6223134") or ("5627998") or ("5640572") or ("5717614") or ("5771388") or ("5905649") or ("6405145") or ("6418392") or ("6975957") or ("7134081") or ("20020184326") or ("20030035008") or ("20050234675") or ("20060004535") or ("5710727") or ("5724272") or ("5847955") or ("5920479") or ("5740185") or ("5790977") or ("5784275") or ("5847953") or ("5619489") or ("5734119") or ("20060206626") or ("20040190458") or ("20070248021") or ("5870350") or ("5964892") or ("20030174070") or ("20040088448") or ("6101311") or ("6175771") or ("6824539") or ("20040024384") or ("5721676") or ("5345562") or ("5772963") or ("5809518") or ("6633937") or ("20020083242") or ("20060177795") or ("5283889") or ("RE35480") or ("5696987") or ("6882946") or ("20030191595") or ("5025141") or ("5045675") or ("5517015") or ("5625795") or ("6016255") or ("6036101") or ("6330977") or ("6370455") or ("5872827") or ("6035247") or ("5958028") or ("5974541") or ("6138148") or ("6195768") or ("6232541") or ("20060268926") or ("4088990") or ("5379214") or ("4926413") or ("5596631") or	US-PGPUB; USPAT	OR	OFF	2008/05/29 11:11

		("5788688") or ("5793813") or ("7253385") or ("7319936") or ("20050248764") or ("20060123296") or ("20070253056") or ("20080077350") or ("6421745") or ("5636344") or ("5850388") or ("5850386") or ("6111888") or ("4799059") or ("4914688") or ("4945806") or ("4998274") or ("5270475") or ("5287528") or ("5392224") or ("5426643") or ("5528675") or ("5572684")).PN.				
S2	0	(@ay<="2004" OR @rlad="20040415") AND SCPI AND ".NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:31
S3	161	(@ay<="2004" OR @rlad="20040415") AND SCPI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:31
S4	117	(@ay<="2004" OR @rlad="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:33
S5	2	(@ay<="2004" OR @rlad="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) AND (ascertain$3 OR evaluat $3) WITH valid$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:49
S6	4570	(@ay<="2004" OR @rlad="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (ascertain $3 OR evaluat$3) WITH valid $3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:50
S7	269	(@ay<="2004" OR @rlad="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol AND (ascertain$3 OR evaluat $3) WITH valid$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:51
S8	5	(@ay<="2004" OR @rlad="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol SAME (ascertain$3 OR evaluat $3) WITH valid$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 11:52

S9	12	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol AND (ascertain$3 OR evaluat$3) WITH valid$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:06
S10	272	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:24
S11	2	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND (ascertain$3 OR evaluat$3) WITH valid$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:24
S12	4	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:39
S13	81	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:41
S14	98	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction OR query) AND API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 12:45
S15	0	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND ".NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 15:19
S16	17	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 15:19
S17	17	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET" AND (translat $3 OR convert$3 OR transform $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 15:23

S18	1	("7134081").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/29 15:27
S19	17	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND NET AND (translat $3 OR convert$3 OR transform $3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 15:54
S20	0	("2005/0232302").URPN.	USPAT	OR	ON	2008/05/29 15:57
S21	150	(@ay<="2004" OR @rlad<="20040415") AND ((Standard ADJ Instrument$6) OR SCPI) AND NET AND (translat$3 OR convert$3 OR transform$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 15:58
S22	2	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) ADJ protocol WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 16:16
S23	11	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 16:16
S24	43	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol SAME validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 16:20
S25	34	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol AND validat$3 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 16:31
S26	2	(("20020010714") or ("20040009813")).PN.	US-PGPUB; USPAT	OR	OFF	2008/06/02 10:51
S27	4	(("20020010714") or ("20040009813") or ("6766279") or ("5790977")).PN.	US-PGPUB; USPAT	OR	OFF	2008/06/02 10:53
S28	8	(@ay<="2004" OR @rlad<="20040415") AND SCPI AND "NET" AND (API OR (Application ADJ Programming ADJ Interface))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/02 12:30

S29	134	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME validity WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/02 13:52
S30	562	(@ay<="2004" OR @rlad<="20040415") AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/02 14:59
S31	24	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/02 14:59
S32	4	(("7134081") or ("20050091269") or ("5958010") or ("20020124108")).PN.	US-PGPUB; USPAT	OR	OFF	2008/06/02 17:26
S33	3	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (stream ADJ format) AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 10:32
S34	1564	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (stream ADJ format) AND (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 10:33
S35	48	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 10:33
S36	5	(@ay<="2004" OR @rlad<="20040415") AND before WITH (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 10:39
S37	265	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol AND NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 11:58

S38	16	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 11:58
S39	8	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:01
S40	284	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:04
S41	15	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3 SAME API	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:11
S42	310	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:28
S43	11	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (translat$3 OR convert$3 OR transform $3) WITH (command OR instruction) WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:28
S44	3	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (translat$3 OR convert$3 OR transform $3) WITH (command OR instruction) SAME (((determin $ OR ascertain$) ADJ validity) OR validat$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:42
S45	310	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:43

S46	83	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$) ADJ validity) OR validat$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 12:47
S47	85	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ valid$3) OR validat$3) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:03
S48	186	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) AND (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:10
S49	284	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) AND (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:10
S50	46	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:41

S51	52	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 13:41
S52	5	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 16:11
S53	4	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI ADJ protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 16:19
S54	28	(@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 16:19
S55	46	(@ay<="2004" OR @rlad<="20040415") AND (translated OR converted OR transformed) ADJ5 (command OR instruction) WITH validat $3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 16:40
S56	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv $3 SAME status SAME notify$3 WITH query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:01
S57	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv $3 SAME status SAME query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:02
S58	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv $3 SAME status	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:02

S59	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status SAME notify$3 WITH query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:02
S60	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status SAME query	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:03
S61	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/03 17:03
S62	0	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488.1" SAME status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:58
S63	1	(@ay<="2004" OR @rlad<="20040415") AND "IEEE 488.1" AND status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:58
S64	5294	(@ay<="2004" OR @rlad<="20040415") AND status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:59
S65	1123	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:59
S66	0	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (IEEE ADJ "488") SAME status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:59
S67	0	(@ay<="2004" OR @rlad<="20040415") AND (IEEE ADJ "488") SAME status WITH (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 16:59
S68	496	(@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ5 (queue OR FIFO OR buffer) WITH register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:03

S69	664	(@ay<= "2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO OR buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:03
S70	356	(@ay<= "2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:03
S71	0	(@ay<= "2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ (module AND register) WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:04
S72	0	(@ay<= "2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ module WITH register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:04
S73	1	(@ay<= "2004" OR @rlad<="20040415") AND status ADJ module WITH register WITH (queue OR FIFO)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/06/09 17:05
S74	1	("6766386").PN.	US-PGPUB; USPAT	OR	OFF	2008/06/09 17:07

6/17/2008 9:49:20 AM
C:\ Documents and Settings\ hyu\ My Documents\ EAST\ Workspaces
\ 10825466_SCPI_NET_Translation.wsp